



LABORATORY REPORT

Patient Name:
Sex: U **DOB:** **Age:** 19y
Viracor Eurofins Patient ID: 8580405
Physician:
Received: 03/20/2020 08:52
Report Delivered: 03/21/2020 17:55

Client MRN:

Client:
National Kidney Registry
NKR
PO Box 460
Babylon, NY 11702

Comments: SARS-CoV-2 RT-PCR Respiratory Specimen Type : Nasal Swab

RESULTS

Coronavirus SARS-CoV-2 RT-PCR (respiratory) Client Accession ID: COVID19 10001
Viracor Eurofins Accession ID: 2003201117 Collected: 03/19/2020 10:30 Final - Approved 03/21/2020 17:54
Performed at: Viracor Eurofins - 1001 NW Technology Dr., Lee's Summit, MO | CLIA# 26D-0983643

TEST	RESULT	FLAG	REF RANGE
SARS-CoV-2 RT-PCR	Not Detected		Not Detected

This test has been validated but FDA's independent review of the validation is pending. This test is performed as a laboratory developed test; independent review of the validation under the FDA's Emergency Use Authorization (EUA) authority will be performed according to current guidance requirements.

We will continue to follow federal and state requirements for both notification of results and any confirmatory testing that is required by another agency.

This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration. Results should be used in conjunction with clinical findings, and should not form the sole basis for a diagnosis or treatment decision.